



PASSENGER CAR SYSTEMS




ULTRA FLO™ SS SYSTEMS




- Stainless steel Ultra Flo mufflers with straight-through design for the ultimate in exhaust system performance.
- All-aluminized mandrel-bent DynoMax pipes for smooth exhaust flow.
- Many import applications feature T-304 stainless steel pipes.
- Most Ultra Flo systems follow the OE routing and attach directly to OE mounting locations.
- Required clamps and hangers are included in the Ultra Flo Kits.

ULT A FLO™ WELDED SYSTEMS



- **R**Welded Ultra Flo mufflers with straight-through design for the ultimate in exhaust system performance.
- All-aluminized mandrel-bent DynoMax pipes for smooth exhaust flow.
- Many import applications feature T-304 stainless steel pipes.
- Most Ultra Flo systems follow the OE routing and attach directly to OE mounting locations.
- Required clamps and hangers are included in the Ultra Flo Kits.

SUPER TURBO™ SYSTEMS



- Direct-fit Super Turbo mufflers.
- All-aluminized mandrel-bent pipe.
- Most Super Turbo systems follow OE routing and attach directly to OE mounting locations.
- Required clamps and hangers are included in the Super Turbo Kits.

See pages 222-224 for optional spouts.

Super Turbo and Ultra Flo Kits include the specified muffler, pipes, clamps and hardware necessary for a complete installation.

DYNOMAX® MUFFLER SPECIFICATIONS

Part Number	Shell Diameter	Overall Length	Shell Length	Inlet Diameter ◆	Outlet Diameter ◆	Offset Inlet-Outlet
17216 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2 1/4	2 1/4	Center - Center
17217 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2 1/4	2 1/4	Side - Center
17218 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2 1/2	2 1/2	Center - Center
17219 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2 1/2	2 1/2	Side - Center
17220 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	3	3	Center - Center
17221 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	3	3	Side - Center
17222 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2 1/2	2 1/2	Side - Side
17223 Ultra Flo Welded	6 Round	21	16	3	3	Center - Center
17224 Ultra Flo Welded	6 Round	21	16	3 1/2	3 1/2	Center - Center
17225 Ultra Flo Welded	6 Round	21	16	4	4	Center - Center
17226 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2 1/4	2 1/4	Side - Side
17227 Ultra Flo Welded	4 1/2 x 9 3/4	24	20	3	2 1/2 (2)	Side - Dual Outlet
17228 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	3	2 1/2 (2)	Center - Dual Outlet
17229 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	3	3	Side - Side
17230 Ultra Flo Welded	6 Round	21	16	2 1/2	2 1/2	Center - Center
17231 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2 1/2 (2)	2 1/2 (2)	Dual In - Dual Out
17232 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	3	3	Side - Side
17233 Ultra Flo Welded	4 1/2 x 9 3/4	25	20	3	3	Side - Center
17234 Ultra Flo Welded	4 1/2 x 9 3/4	25	20	2 1/2	2 1/2 (2)	Center - Dual
17235 Ultra Flo Welded	4 1/2 x 9 3/4	29	24	3	3	Side - Center
17236 Ultra Flo Welded	4 1/2 x 9 3/4	29	24	2 1/2	2 1/2	Side - Center
17237 Ultra Flo SS	4 1/2 x 9 3/4	38	14	2 1/4	3 OD	Side - Side
17238 Ultra Flo SS	4 1/4 x 9 3/4	39 3/4	14	WP	4 OD	Side - Side
17240 Ultra Flo SS	4 Round	20	15	2 1/2	2 1/2	Center - Center
17242 Ultra Flo SS	4 1/4 x 9 3/4	23	14	2 1/4	4 OD	Center - Center
17243 Ultra Flo SS	5 1/2 x 11	23	14	2 1/4	3 OD	Center - Dual Outlet
17244 Ultra Flo SS	5 1/2 x 11	23	14	2 1/4	4 OD	Center - Center
17245 Ultra Flo SS	5 1/2 x 11	24	14	2 1/4	5 OD	Center - Center
17246 Ultra Flo SS	6 Round	23	14	2 1/4	4 OD	Center - Center
17247 Ultra Flo SS	6 Round	24	14	2 1/4	5 OD	Center - Center
17248 Ultra Flo SS	4 1/4 x 9 3/4	41	14	Flange	4	Center - Single Spout
17249 Ultra Flo SS	5 1/2 x 11	43	12	Flange	4	Center - Single Spout
17251 Ultra Flo SS	5 1/2 x 11	23 3/4	12	Flange	4	Center - Single Spout
17252 Ultra Flo SS	6 Round	44 3/4	22	Elbow	3	Center - Single Spout
17253 Ultra Flo SS	4 1/4 x 9 3/4	39 3/4	14	Flange	4	Side - Single Spout
17254 Ultra Flo SS ▲	4 1/4 x 9 3/4	27 1/2	14	Flange	4	Side - Single Spout
17256 Ultra Flo SS	4 1/4 x 9 3/4	26 1/4	14	2 1/2	SS Spout (2)	Side - Dual Outlet ▼
17257 Ultra Flo SS	4 1/4 x 9 3/4	26 1/4	14	2 1/2	SS Spout (2)	Side - Dual Outlet ▼
17258 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2 1/2	2 1/2	Side - Side
17259 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2 1/2	2 1/2	Side - Side
17261 Ultra Flo SS	4 1/4 x 8 13/16	17 1/2	14	2 1/2	2 1/2	Side - Side
17262 Ultra Flo SS	4 1/4 x 8 13/16	17 1/2	14	2 1/2	2 1/2	Side - Side
17263 Ultra Flo SS	6 Round	20	16	2 1/2	2 1/2	Center - Center
17264 Ultra Flo SS	4 1/4 x 9 3/4	18	14	2 1/2	2 1/4 OD	Side - Side
17265 Ultra Flo SS	4 1/4 x 9 3/4	25 1/2	20	2 1/2	2 1/2 (2)	Center - Dual Outlet
17266 Ultra Flo SS	4 1/4 x 9 3/4	24	18	2 1/2	2 1/2 (2)	Side - Dual
17267 Ultra Flo SS	6 Round	16	12	3	3	Center - Center
17268 Ultra Flo SS	6 Round	16	12	3 1/2	3 1/2	Center - Center
17269 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2 1/2	2 1/2	Side - Side
17271 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2 1/4	2 1/4	Side - Side

- ▲ Limited availability.
- ◆ All measurements are inside diameter, unless noted otherwise.
- ▼ Inlet and Outlet bushings on same head.

PASSENGER CAR SYSTEMS

TRUCK SYSTEMS

HEADERS / MANIFOLD DUAL PIPE KITS

HEADERS

MUFFLERS

DNX

ACCESSORIES

DYNOMAX® MUFFLER SPECIFICATIONS

Part Number	Shell Diameter	Overall Length	Shell Length	Inlet Diameter ◆	Outlet Diameter ◆	Offset Inlet-Outlet
17272 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2 1/2	2 1/2	Side - Side
17273 Ultra Flo SS	5 1/2 x 11	29	23	3	2 1/2 (2)	Center - Dual Outlet
17274 Ultra Flo SS	4 1/4 x 9 3/4	24 3/4	14	2 1/2	SS Spout (2)	Center - Dual Spout
17275 Ultra Flo SS	4 1/4 x 9 3/4	24 3/4	14	2 1/2	SS Spout (2)	Center - Dual Spout
17276 Ultra Flo SS	4 1/4 x 9 3/4	25	20	2 1/2 (2)	2 1/2 (2)	Dual - Dual
17277 Ultra Flo SS	3 1/4 x 7 3/4	18	14	2 1/4	2 1/4	Center - Center
17279 Ultra Flo SS	3 1/4 x 7 3/4	18	14	2	2	Side - Center
17281 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2	2	Side - Center
17282 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2 1/4	2 1/4	Side - Center
17283 Ultra Flo SS	4 1/4 x 9 3/4	19	14	2 1/2	2 1/2	Side - Center
17287 Ultra Flo SS	4 1/4 x 9 3/4	25	20	2 1/4	2 1/4	Side - Center
17288 Ultra Flo SS	4 1/4 x 9 3/4	25	20	2 1/2	2 1/2	Side - Side
17289 Ultra Flo SS	4 1/4 x 9 3/4	25	20	2 1/2	2 1/2	Side - Center
17292 Ultra Flo SS	4 1/4 x 9 3/4	18	14	2 1/4	2 1/4	Center - Center
17293 Ultra Flo SS	4 1/4 x 9 3/4	18	14	2 1/2	2 1/2	Center - Center
17296 Ultra Flo SS	6 Round	20	16	3	3	Center - Center
17512 Ultra Flo Welded	4 1/2 x 9 3/4	25	20	2 1/4	2 1/4	Side - Center
17513 Ultra Flo Welded	4 1/2 x 9 3/4	25	20	2 1/2	2 1/2	Side - Center
17514 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2	2	Side - Center
17515 Ultra Flo Welded	4 1/2 x 9 3/4	25	20	2 1/2 (2)	2 1/2 (2)	Dual - Dual
17516 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	2	2	Side - Side
17517 Ultra Flo Welded	4 1/2 x 9 3/4	19	14	3 1/2	3 1/2	Center - Center
17518 Ultra Flo Welded	7 Round	29	24	2 1/2	2 1/2	Side - Side
17519 Ultra Flo SS	4 1/2 x 9 3/4	19	14	3	2 1/2 (2)	Center - Dual
17536 Ultra Flo Welded	4 1/2 x 9 3/4	24	20	3	3 (2)	Side - Side
17537 Ultra Flo Welded	6 Round	27	22	4	4	Center - Center
17538 Ultra Flo Welded	6 Round	27	22	4	4	Center - Center
17539 Ultra Flo Welded	6 Round	21	16	3 1/2	3	Center - Center
17547 Ultra Flo Welded	4 1/2 x 9 3/4	27	20	3	3	Side - Side
17548 Ultra Flo SS	4 1/2 x 9 3/4	42	14	Flange	2 1/2 OD	Side - Center
17549 Ultra Flo Welded	6 Round	21	16	2 1/4	2 1/4	Center - Center
17550 Ultra Flo Welded	4 1/2 x 9 3/4	30	14	2 1/2	3 1/2 Spout	Side - Single Spout
17551 Ultra Flo Welded	4 1/2 x 9 3/4	30	14	2 1/2	3 1/2 Spout	Side - Single Spout
17552 Ultra Flo X	4 1/2 x 9 3/4	25	20	2 1/4 (2)	2 1/4 (2)	Dual - Dual
17553 Ultra Flo X	4 1/2 x 9 3/4	25	20	2 1/2 (2)	2 1/2 (2)	Dual - Dual
17554 Ultra Flo X	4 1/2 x 9 3/4	25	20	3 (2)	3 (2)	Dual - Dual
17555 Ultra Flo X	4 1/2 x 9 3/4	25	20	3 1/2 (2)	3 1/2 (2)	Dual - Dual
17556 Ultra Flo SS	4 1/4 x 9 3/4	32	18	2 1/2	SS Spout (2)	Side - Dual Spout
17557 Ultra Flo Welded	8 1/4 x 11 1/2	30	25	4	4	Side - Side
17655 Thrush Welded	4 x 9 1/2	19	13	2 1/4	2 1/4	Side - Center
17656 Thrush Welded	4 x 9 1/2	19	13	2 1/2	2 1/2	Side - Center
17657 Thrush Welded	4 x 9 1/2	19	13	3	3	Side - Center
17658 Thrush Welded	4 x 9 1/2	19	13	2 1/4	2 1/4	Side - Side
17659 Thrush Welded	4 x 9 1/2	19	13	2 1/2	2 1/2	Side - Side
17660 Thrush Welded	4 x 9 1/2	19	13	3	3	Side - Side
17661 Thrush Welded	4 x 9 1/2	19	13	3	2 1/2 (2)	Center - Dual Outlet
17662 Super Turbo	4 1/4 x 8 13/16	18 1/2	16	2 1/2 (2)	2 1/4 (2)	Side - Side
17664 Super Turbo	4 1/2 x 9 3/4	22 3/4	18	Flange	2 7/8	Center - Side
17665 Super Turbo	5 1/2 x 11	27	22	3	3	Side - Side
17666 Super Turbo	4 1/4 x 9 3/4	21 1/4	14	2 1/4	2 1/2 OD	Side - Center

◆ All measurements are inside diameter, unless noted otherwise.
 ▼ Inlet and Outlet bushings on same head.

DYNOMAX® MUFFLER SPECIFICATIONS

Part Number	Shell Diameter	Overall Length	Shell Length	Inlet Diameter ◆	Outlet Diameter ◆	Offset Inlet-Outlet
17667 Super Turbo	4 1/4 x 9 3/4	21 1/4	14	2 1/4	2 1/2 OD	Side - Center
17668 Super Turbo	4 1/4 x 9 3/4	34 1/2	20	WP	2 1/2	Dual - Center
17669 Super Turbo	4 1/4 x 9 3/4	25 1/2	20	2 1/4	2 1/4	Side - Center
17670 Super Turbo	5 1/2 x 11	26	22	3	3 (2)	Side - Dual Outlet
17671 Super Turbo	4 1/4 x 9 3/4	38 3/4	20	Flange	2 1/2	Side - Center
17672 Super Turbo	4 1/4 x 9 3/4	31 1/4	20	Flange	2 1/2	Side - Center
17673 Super Turbo	5 1/2 x 11	20	16	3	3	Center - Center
17674 Super Turbo	4 1/4 x 9 3/4	17	13	3	2 1/2	Center - Dual Outlet
17675 Super Turbo	4 1/4 x 9 3/4	15 1/2	14	2 1/4	2 1/4	Same Side
17676 Super Turbo	4 1/4 x 9 3/4	15 1/2	14	2 1/2	2 1/2	Side - Side ▼
17677 Super Turbo	4 1/4 x 9 3/4	31 1/2	20	2 1/2	2 1/2	Center - Side
17679 Super Turbo	7 x 9	20	13	2 1/4	SS Spout	Center - Single Spout
17680 Super Turbo	7 x 9	20	13	2 1/4	SS Spout	Center - Single Spout
17683 Super Turbo	7 Round	31	25	2 1/4	2 1/2	Side - Side
17684 Super Turbo	4 1/4 x 9 3/4	26 1/2	16	2 1/4	Spout	Side - Single Spout
17685 Super Turbo	4 1/4 x 9 3/4	30	16	2 1/4	Spout	Side - Single Spout
17686 Super Turbo	7 x 9	20	12	2	Spout	Side - Single Spout
17687 Super Turbo	4 1/4 x 9 3/4	35 1/2	20	2 1/2	2 1/2 OD	Side - Center
17688 Super Turbo	4 1/4 x 9 3/4	35 1/2	20	2 1/2	2 1/2 OD	Side - Center
17689 Super Turbo	7 x 9	31 1/2	15	Elbow	Spout	Center - Rect. Spout
17690 Super Turbo	7 x 9	31 1/2	15	Elbow	Spout	Center - Rect. Spout
17691 Super Turbo	4 1/4 x 8 13/16	17 1/2	14	2 1/2	2 1/2	Side - Side
17692 Super Turbo	4 1/4 x 8 13/16	17 1/2	14	2 1/2	2 1/2	Side - Side
17693 Super Turbo	4 1/4 x 9 3/4	29 1/4	16	2 1/2	SS Spout (2)	Center - Dual Spout
17694 Thrush Turbo	4 1/4 x 9 3/4	25 1/2	14	Flange	2 1/2	Side - Side
17696 Thrush Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/2	2 1/2	Side - Side
17697 Super Turbo	4 1/4 x 9 3/4	26	20	2	2 1/4	Side - Center
17698 Super Turbo	8 3/8 Round	24	18	3	3	Side - Side
17699 Super Turbo	7 Round	35	29	2 1/2	2 1/2	Side - Side
17700 Thrush Turbo	3 1/4 x 7 3/4	16	11	1 1/2	1 1/2	Side - Center
17702 Thrush Turbo	3 1/4 x 7 3/4	16	11	2	2	Side - Center
17703 Thrush Turbo	3 1/4 x 7 3/4	16	11	2	2	Side - Side
17704 Thrush Turbo	3 1/4 x 7 3/4	18 1/2	14	2	2	Side - Center
17705 Thrush Turbo	3 1/4 x 7 3/4	18 1/2	14	2	2	Side - Side
17706 Super Turbo	4 1/4 x 8 13/16	25	16	1 3/4	Spout	Side - Single Spout
17710 Super Turbo	7 Round	24	18	2 1/2	2 1/2	Side - Side
17711 Thrush Turbo	4 1/4 x 9 3/4	18 1/2	14	2	2	Side - Center
17712 Thrush Turbo	4 1/4 x 9 3/4	18 1/2	14	2	2	Side - Side
17713 Thrush Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/4	2 1/4	Side - Center
17714 Thrush Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/4	2 1/4	Side - Side
17715 Thrush Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/2	2 1/2	Side - Center
17716 Thrush Turbo	4 1/4 x 9 3/4	25	20	2	2	Side - Center
17717 Thrush Turbo	4 1/4 x 9 3/4	25	20	2 1/4	2 1/4	Side - Center
17718 Thrush Turbo	4 1/4 x 9 3/4	25	20	2 1/2	2 1/2	Side - Center
17722 Super Turbo	6 Round	19	15	1 1/2	1 1/2	Side - Side
17725 Super Turbo	4 1/4 x 9 3/4	20	16	2 1/4 (2)	2 1/4 (2)	Dual - Dual
17726 Super Turbo	5 1/2 x 11	21 1/2	12	2 1/4	SS Spout (2)	Center - Dual Spout
17727 Super Turbo	5 1/2 x 11	21 1/2	12	2 1/4	SS Spout (2)	Center - Dual Spout

- ◆ All measurements are inside diameter, unless noted otherwise.
- ▼ Inlet and Outlet bushings on same head.

DYNOMAX® MUFFLER SPECIFICATIONS

Part Number	Shell Diameter	Overall Length	Shell Length	Inlet Diameter ◆	Outlet Diameter ◆	Offset Inlet-Outlet
17729 Super Turbo	4 1/4 x 8 13/16	17 1/2	14	2 1/4	2 1/4	Side - Side
17730 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2	2	Side - Center
17731 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/4	2 1/4	Side - Center
17732 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/4	2 1/4	Side - Side
17733 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/2	2 1/2	Side - Center
17734 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/2	2 1/2	Side - Side
17735 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/4	2 1/4	Side - Side
17736 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2	2	Side - Side
17739 Super Turbo	4 1/4 x 9 3/4	24	19	2 1/2	2 1/2 (2)	Side - Dual
17740 Super Turbo	4 1/4 x 9 3/4	26	20	3	2 1/4 (2) OD	Side - Dual
17741 Super Turbo	6 Round	19 1/2	14	2 1/4	2 1/4	Side - Side
17742 Super Turbo	6 Round	19 1/2	14	2	2	Side - Side
17743 Super Turbo	4 1/4 x 9 3/4	20	14	3	3	Side - Side
17744 Super Turbo	4 1/4 x 9 3/4	20	14	3	3	Side - Center
17746 Super Turbo	4 1/4 x 9 3/4	25 1/2	20	2	2	Side - Center
17747 Super Turbo	4 1/4 x 9 3/4	25 1/2	20	2 1/4	2 1/4	Side - Center
17748 Super Turbo	4 1/4 x 9 3/4	25 1/2	20	2 1/2	2 1/2	Side - Center
17749 Super Turbo	4 1/4 x 9 3/4	25 1/2	20	2 1/2	2 1/2	Side - Side
17753 Super Turbo	4 1/4 x 9 3/4	25 1/2	14	Flange	2 1/2	Center - Side
17754 Super Turbo	4 1/4 x 9 3/4	30 1/2	17	2 1/4	SS Spout (2)	Side - Dual Spout
17755 Super Turbo	4 1/4 x 9 3/4	23	17	2 1/4	2 (2)	Side - Dual
17757 Super Turbo	4 1/4 x 9 3/4	16 3/4	14	2 1/2	2 1/4 OD	Side - Side
17758 Super Turbo	4 1/4 x 9 3/4	25 1/2	19	2 1/2	2 1/2 (2)	Center - Dual Outlet
17760 Super Turbo	4 1/4 x 9 3/4	24 3/4	14	2 1/2	SS Spout (2)	Center - Dual Spout
17761 Super Turbo	4 1/4 x 9 3/4	24 3/4	14	2 1/2	SS Spout (2)	Center - Dual Spout
17762 Super Turbo	3 1/4 x 7 3/4	18 1/2	14	2	2	Side - Center
17763 Super Turbo	3 1/4 x 7 3/4	18 1/2	14	2	2	Side - Side
17764 Super Turbo	4 1/4 x 9 3/4	26 3/4	14	Elbow	Spout	Side - Single Spout
17765 Super Turbo	4 1/4 x 9 3/4	26 3/4	14	Elbow	Spout	Side - Single Spout
17767 Super Turbo	4 1/4 x 9 3/4	25 1/2	20	2 1/4	2 1/4	Side - Center
17768 Super Turbo	6 Round	23	18	1 3/4	2 OD	Side - Side
17769 Super Turbo	5 1/2 x 11	27	20	3	3	Side - Center
17770 Super Turbo	5 1/2 x 11	27	20	3	3	Side - Side
17771 Super Turbo	3 1/4 x 7 3/4	18 1/2	14	1 3/4	1 3/4	Side - Center
17776 Super Turbo	5 1/2 x 11	29	23	3	2 1/2 (2)	Center - Dual Outlet
17777 Super Turbo	3 1/4 x 7 3/4	16	11	2	2 1/4	Side - Side
17778 Super Turbo	4 1/4 x 9 3/4	22	18	2 1/4	2 OD (2)	Side - Dual
17783 Super Turbo	6 Round	22 3/4	18	2	2	Side - Side
17784 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2 1/2	2 1/2	Side - Side
17785 Super Turbo	7 Round	31	25	2 1/4	2 1/2	Side - Side
17786 Super Turbo	4 1/4 x 9 3/4	26	21	2 1/2	2 1/4 OD (2)	Side - Dual
17787 Super Turbo	7 Round	30 3/4	25	2 1/4	2 1/4	Side - Side
17788 Super Turbo	7 Round	30 3/4	25	2 1/2	2 1/2	Side - Side
17789 Super Turbo	8 3/8 Round	36	30	3	3	Side - Side
17792 Super Turbo	5 1/2 x 11	23	16	3	3	Side - Side
17793 Super Turbo	5 1/2 x 11	23	16	3	3	Side - Center
17795 Super Turbo	4 1/4 x 9 3/4	43	14	Elbow	Spout (2)	Center - Dual Spout
17797 Super Turbo	4 1/4 x 9 3/4	18 1/2	14	2 3/4	2 3/4	Side - Center

◆ All measurements are inside diameter, unless noted otherwise.
 ▼ Inlet and Outlet bushings on same head.

DYNOMAX® MUFFLER SPECIFICATIONS

Part Number	Shell Diameter	Overall Length	Shell Length	Inlet Diameter ◆	Outlet Diameter ◆	Offset Inlet-Outlet
17798 Super Turbo	7 Round	29	18	2 1/4	SS Spout (2)	Side - Dual Spout
21172 Ultra Flo Welded	9 Round	22	15	4	4	Center - Center
21308 Mega-Flow RV	10 Round	38 1/4	28	2 1/2 (2)	3	Dual - Center
21309 Mega-Flow RV	10 Round	38 1/4	28	2 1/2 (2)	3	Dual - Center
21312 Mega-Flow RV	9 Round	38 3/4	24 1/2	3	3	Side - Center
21313 Mega-Flow RV	9 Round	33 3/4	24 1/2	3	3	Side - Center
22572 Ultra Flo Welded	9 Round	27	20	4	4	Center - Center
24215 Race Bullet	4 Round	16 1/2	12	2 1/2	2 1/2	Center - Center
24216 Race Bullet	5 Round	16 1/2	12	3 1/2	3 1/2	Center - Center
24217 Race Bullet	5 Round	16 1/2	12	4	4	Center - Center
24219 Race Bullet	4 Round	23 1/2	18	3	3	Center - Center
24222 Race Bullet	4 Round	16 1/2	12	3	3	Center - Center
24227 Race Collector	4 Round	16	12	1 3/4 (4)	3	Center - Center
24228 Race Collector	4 Round	16	12	1 7/8 (4)	3	Center - Center
24229 Race Collector	4 1/2 Round	16	12	2 (4)	3 1/2	Center - Center
24230 Race Collector	4 1/2 Round	16	12	2 1/8 (4)	3 1/2	Center - Center
24231 Race Collector	5 Round	16	12	2 1/4 (4)	4	Center - Center
24232 Race Collector	5 Round	16	12	2 3/8 (4)	4	Center - Center
24233 Race Bullet	6 Round	21	16	5	5	Center - Center
24234 Race Bullet	4 Round	16 1/2	12	2 1/4	2 1/4	Center - Center
24235 Race Bullet	4 Round	23 1/4	18	2 1/4	2 1/4	Center - Center
24236 Race Bullet	4 Round	23 1/4	18	2 1/2	2 1/2	Center - Center
24238 Race Bullet	4 Round	18 1/4	12	3	3	Center - Center

PASSENGER CAR SYSTEMS

TRUCK SYSTEMS

HEADERS / MANIFOLD DUAL PIPE KITS

HEADERS

MUFFLERS

DNX

ACCESSORIES