

ULTRA FLO™ WELDED UNIVERSAL MUFFLERS




AGGRESSIVE PERFORMANCE SOUND

Ultra Flo™ Welded Mufflers

- 100% welded construction for maximum durability.
- 100% aluminized materials for long life.
- Ultra Flo technology features straight-through design for maximum flow and power.
- CRF (Continuous Roving Fiberglass) technology delivers an aggressive, powerful, deep performance sound.

Flow Comparison Chart










Tests conducted on short body, 2.5" side/center configuration performance mufflers. Flow tests conducted with the side connection as the inlet.

ULTRA FLO™ WELDED UNIVERSAL MUFFLERS



USER NOTE: Welded mufflers are sorted by offset (center/center, side/center, side/side), cross section, inlet bushing diameter and body length.

♦ All measurements are inside diameter, unless noted otherwise

	Part Number	Shell Diameter	Overall Length	Shell Length	Inlet Diameter♦	Outlet Diameter♦	PowerTech Index Values		
							Sound Rating	Flow in SCFM	LossFree Horsepower Single / Duals
 Center - Center	17216	4½ x 9¾	19	14	2¼	2¼	Sport	600	273 / 546
	17218	4½ x 9¾	19	14	2½	2½	Sport	1200	545 / 1090
	17220	4½ x 9¾	19	14	3	3	Sport	1800	818 / 1636
	17517	4½ x 9¾	19	14	3½	3½	Sport	2200+	1000 / 2000
	17549	6 Round	21	16	2¼	2¼	Sport	700	318 / 336
	17230	6 Round	21	16	2½	2½	Sport	1200	545 / 1090
	17223	6 Round	21	16	3	3	Sport	1800	818 / 1636
	17224	6 Round	21	16	3½	3½	Sport	2200+	1000 / 2000
	17539	6 Round	21	16	3½	3	Sport	2200+	1000 / 2000
	17225	6 Round	21	16	4	4	Sport	2200+	1000 / 2000
	17537	6 Round	27	22	4	4	Sport	2200+	1000 / 2000
	17538	6 Round	27	22	4	4	Sport	2200+	1000 / 2000
	21172	9 Round	22	15	4	4	Sport	2200+	1000 / 2000
	22572	9 Round	27	20	4	4	Sport	2200+	1000 / 2000
 Side - Center	17514	4½ x 9¾	19	14	2	2	Sport	500	227 / 554
	17217	4½ x 9¾	19	14	2¼	2¼	Sport	600	273 / 546
	17512	4½ x 9¾	25	20	2¼	2¼	Sport	700	318 / 636
	17219	4½ x 9¾	19	14	2½	2½	Sport	1100	500 / 1000
	17513	4½ x 9¾	25	20	2½	2½	Sport	1000	455 / 910
	17236	4½ x 9¾	29	24	2½	2½	Sport	1100	500 / 1000
	17221	4½ x 9¾	19	14	3	3	Sport	1300	591 / 1182
	17233	4½ x 9¾	25	20	3	3	Sport	1800	818 / 1636
17235	4½ x 9¾	29	24	3	3	Sport	1800	818 / 1636	
 Side - Side	17516	4½ x 9¾	19	14	2	2	Sport	400	182 / 364
	17226	4½ x 9¾	19	14	2¼	2¼	Sport	600	273 / 546
	17222	4½ x 9¾	19	14	2½	2½	Sport	1000	455 / 910
	17229	4½ x 9¾	19	14	3	3	Sport	1100	500 / 1000
	17547	4½ x 9¾	27	20	3	3	Sport	1600	727 / 1454
	17518	7 Round	29	24	2½	2½	Sport	1100	500 / 1000
 Side - Side (same side)	17232	4½ x 9¾	19	14	3	3	Sport	1800	818 / 1636
 Crossflow	17227	4½ x 9¾	24	20	3	2½ (2)	Sport	1400	636 / 1272
	17536	4½ x 9¾	24	20	3	3 (2)	Sport	1300	591 / 1182
 Center Inlet / Dual Outlet	17234	4½ x 9¾	25	20	2½	2½ (2)	Sport	2200+	1000 / 2000
	17228	4½ x 9¾	19	14	3	2½ (2)	Sport	1900	864 / 1728
 Dual Inlet / Outlet	17231	4½ x 9¾	19	14	2½ (2)	2½ (2)	Sport	1300	591 / 1182
	17515	4½ x 9¾	25	20	2½ (2)	2½ (2)	Sport	1400	636 / 1272

+ Flowed in excess of number shown.

SCFM = Standard cubic feet per minute air flow @ 20.3" H₂O backpressure.


DYNAMAX[®] ULTRA FLO[™] WELDED MUFFLERS



Ultra Flo[™] Welded Direct Fit Mufflers


Silverado / Sierra / Hummer 2

17557
Sport - 2200+
1000 / 2000



Mustang GT - LH

17550
Sport - 1000
455 / 910



Mustang GT - RH

17551
Sport - 1000
455 / 910

