




DYNOMAX® ULTRA FLO™ SS MUFFLERS



Aggressive Performance Sound



Unique straight-through design maximizes flow and power.


All stainless steel materials for optimum appearance, corrosion resistance and longer life. Includes high chromium content, high-luster T-304 cover and heads.

Exclusive **CRF** (Continuous Roving Fiberglass) for deep, powerful, true performance sound. Won't blow out for long life. Withstands temperatures of 1500°F.

Continuous perf tube design maximizes sound absorption and minimizes turbulence.

Available in bushing diameters from 2" up to 3-1/2" to fit a wide variety of street applications. 39" length is recommended for most RV applications.

Flow Comparison Chart










Tests conducted on short body, 2.5" side / center configuration performance mufflers. Flow tests conducted with the side connection as the inlet.

DYNAMAX® ULTRA FLO™ SS MUFFLERS



USER NOTE: Universal mufflers are displayed first, followed by direct-fit units. Universal mufflers are further sorted by offset (center/center, side/center, side/side), cross section, inlet bushing diameter and body length. Direct-fit mufflers are shown in part number sequence. All universal mufflers are reversible for custom installation (unless noted).

◆ All measurements are inside diameter, unless noted otherwise

	Part Number	Shell Diameter	Overall Length	Shell Length	Inlet Diameter◆	Outlet Diameter◆	PowerTech Index Values		
							Sound Rating	Flow in SCFM	LossFree Horsepower Single / Duals
 Center - Center	17277	3¼ x 7¾	18	14	2¼	2¼	Sport	1117	508 / 1016
	17292▲	4¼ x 9¾	18	14	2¼	2¼	Sport	1000	455 / 910
	17293	4¼ x 9¾	18	14	2½	2½	Sport	1197	544 / 1088
	17240	4 Round	20	15	2½	2½	Sport	1000	455 / 910
	17263	6 Round	20	16	2½	2½	Sport	1000	455 / 910
	17267	6 Round	16	12	3	3	Race	2000	909 / 1818
	17296	6 Round	20	16	3	3	Sport	2000	909 / 1818
	17268	6 Round	16	12	3½	3½	Race	2100	954 / 1908
 Center - Center Stainless Steel Spout	17242*▲	4¼ x 9¾	23	14	2¼	4 OD	Sport	860	390 / 780
	17244*▲	5½ x 11	23	14	2¼	4 OD	—	—	—
	17245*▲	5½ x 11	24	14	2¼	5 OD	—	—	—
	17246*▲	6 Round	23	14	2¼	4 OD	Sport	630	286 / 572
	17247*▲	6 Round	24	14	2¼	5 OD	Sport	630	286 / 572
 Side - Center	17279	3¼ x 7¾	18	14	2	2	Sport	700	318 / 636
	17281	4¼ x 9¾	19	14	2	2	Sport	700	318 / 636
	17282	4¼ x 9¾	19	14	2¼	2¼	Sport	1000	455 / 910
	17287	4¼ x 9¾	25	20	2¼	2¼	Street	950	433 / 866
	17283	4¼ x 9¾	19	14	2½	2½	Sport	1075	489 / 978
	17289	4¼ x 9¾	25	20	2½	2½	Street	955	434 / 868
 Side - Side	17271	4¼ x 9¾	19	14	2¼	2¼	Sport	966	439 / 878
	17272	4¼ x 9¾	19	14	2½	2½	Street	1000	455 / 910
	17288	4¼ x 9¾	25	20	2½	2½	Street	955	434 / 868
 Crossflow	17266	4¼ x 9¾	24	18	2½	2½ (2)	Street	573	260 / 520
 Center Inlet / Dual Outlet	17519	4¼ x 9¾	19	14	3	2½ (2)	Sport	736	334 / 668
	17265	4¼ x 9¾	25½	20	2½	2½ (2)	Street	636	289 / 578
	17273	5½ x 11	29	23	3	2½ (2)	Street	651	296 / 592
	17243*▲	5½ x 11	23	14	2¼	3 OD (2)	Sport	420	190 / 380
 Dual Inlet / Outlet	17276	4¼ x 9¾	25	20	2½ (2)	2½ (2)	Sport	1600	NA / 727




Ultra Flo™ SS Direct-Fit Mufflers

Brackets and hangers needed to fit specific applications included. All pipes shown are included in muffler carton. Spouts included on some applications.

USER NOTE: Direct-fit mufflers are shown in part number sequence.


**PT Cruiser
17237**

(Stainless Steel Spout)




**Mitsubishi Eclipse
17238**

(Stainless Steel Spout)




**Acura Integra
17248▲**

(Stainless Steel Spout)




**Honda Civic EX
17249**

(Stainless Steel Spout)




**Volkswagon Beetle
17252**

(Stainless Steel Spout)



**Mitsubishi Eclipse GST/Spyder
17253**

(Stainless Steel Spout)


















▲ Limited availability.
Bracket locations are indicated with a "B" symbol.

DYNOMAX® ULTRA FLO™ SS MUFFLERS



Ultra Flo™ SS Direct-Fit Mufflers



Bracket locations are indicated with a "B" symbol.