



STAINLESS STEEL PERFORMANCE EXHAUST

2010-07 CHEVY/GMC SILVERADO/SIERRA 2500HD/3500HD 6.6L

- Stainless Steel Ultra Flo™ Welded Muffler
- 6-in. outlet, single wall, buffed and polished, 14-in. OAL SS slant cut cooling tip
- 5-in. Mandrel bent stainless steel tubing

PART NUMBER 39487

16 HORSEPOWER
17 LB-FT. TORQUE
IMPROVEMENT



DPF-BACK SYSTEM

MORE APPLICATIONS ON PAGE 79

STAINLESS STEEL PIPE KIT

2014-11 CHEVY/GMC SILVERADO/SIERRA 2500HD/3500HD 6.6L

- O.E. system has no muffler but a diesel particulate filter
- 6-in. outlet, single wall, buffed and polished, 14-in. OAL SS slant cut cooling tip
- 14-in. stainless steel extension pipe
- Long lasting parts for high heat system

PART NUMBER 88344



*For sound trial and other information visit dynamax.com



STAINLESS STEEL PERFORMANCE EXHAUST

2012-07 RAM 2500/3500 6.7L

- Stainless Steel Ultra Flo™ Welded Muffler
- 6-in. outlet, single wall, buffed and polished, 14-in. OAL SS slant cut cooling tip
- 5-in. Mandrel bent stainless steel tubing

PART NUMBER 39491

10 HORSEPOWER
12 LB-FT. TORQUE
IMPROVEMENT



DPF-BACK SYSTEMS

MORE APPLICATIONS ON PAGE 79

STAINLESS STEEL PIPE KIT

2014-13 RAM 2500/3500 6.7L

- O.E. system has no muffler but a diesel particulate filter
- 6-in. outlet, single wall, buffed and polished, 14-in. OAL SS slant cut cooling tip
- 14-in. stainless steel extension pipe
- Long lasting parts for high heat system

PART NUMBER 88344 (Shown Left)

2009-04 RAM 2500/3500 5.9L TURBO DIESEL

- Stainless Steel Ultra Flo™ Welded Muffler
- 5-in. outlet, single wall, buffed and polished, 18-in. OAL SS slant cut tip
- 4-in. Mandrel bent stainless steel tubing

PART NUMBER 39461

16 HORSEPOWER
25 LB-FT. TORQUE
IMPROVEMENT

*For sound trial and other information visit dynamax.com



STAINLESS STEEL PERFORMANCE EXHAUST

2014-11 FORD F250/F350 SUPERDUTY 6.7L


- O.E. system has no muffler but a diesel particulate filter
- 6-in. outlet, single wall, buffed and polished, 14-in. OAL SS slant cut cooling tip
- System covers all wheel bases
- 5-in. Mandrel bent stainless steel tubing

DPF-BACK SYSTEMS

MORE APPLICATIONS ON PAGE 80

PART NUMBER 39509

16 HORSEPOWER
18 LB-FT. TORQUE
IMPROVEMENT



NOTE: No extension pipes are necessary for vehicles with 137-in. wheel bases.
For vehicles with 158-in. wheel bases, it is required to cut 14-in. off extension pipe 53786.
(see installation instructions)

2010-08 FORD F250/F350 SD 6.4L

- Stainless Steel Ultra Flo™ Welded Muffler
- 6-in. outlet, single wall, buffed and polished, 14-in. OAL SS slant cut cooling tip
- 5-in. Mandrel bent stainless steel tubing

PART NUMBER 39492

16 HORSEPOWER
17 LB-FT. TORQUE
IMPROVEMENT



CHEVROLET/GMC

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
Silverado/Sierra 2500HD					(see below)	
Single						
2014-11	Duramax; Tip Kit; All Wheelbases	6.6L	5"	88344 ^{SS}	1	»»
2010-07	Duramax; DPF-Back System; All Wheelbases	6.6L	5"	39487 ^{SS} Ultra Flo Welded	1	»»
2006-01	CC/SB Cat-Back, Duramax; Exc. LLY Motor	6.6L	4"	39375 ^{SS} Ultra Flo Welded	1	»»»
2006-01	SC/LB Cat-Back, Duramax; Exc. LLY Motor	6.6L	4"	19362 Ultra Flo Welded	1	»»»
Silverado/Sierra 3500						
Single						
2014-11	Duramax; Tip Kit; All Wheelbases	6.6L	5"	88344 ^{SS}	1	»»
2006-01	CC/SB Cat-Back, Duramax; Exc. LLY Motor	6.6L	4"	39375 ^{SS} Ultra Flo Welded	1	»»»
2006-01	SC/LB Cat-Back, Duramax; Exc. LLY Motor	6.6L	4"	19362 Ultra Flo Welded	1	»»»
Silverado/Sierra 3500HD						
Single						
2010-07	Duramax; DPF-Back System; All Wheelbases	6.6L	5"	39487 ^{SS} Ultra Flo Welded	1	»»

DODGE

Ram 2500					(see below)	
Single						
2014-13	Cummins Diesel, Tip Kit, All Wheelbases	6.7L	5"	88344💵	1	➡➡
2012-07	Cummins Turbo; DPF-Back System; All Wheelbases	6.7L	5"	39491💵 Ultra Flo Welded	1	➡➡
2009-04	Cat-Back, Cummins Turbo; After 1-5-04	5.9L	4"	19461 Ultra Flo Welded	1	➡➡➡
2009-04	Cat-Back, Cummins Turbo; From 1-5-04	5.9L	4"	39461💵 Ultra Flo Welded	1	➡➡➡
2004-03	Cummins Turbo; Before 1-5-04; Turbo Back System; All Wheelbases	5.9L	4"	19383 Ultra Flo Welded	1	➡➡➡

included in kit required to complete installation.

				Super Turbo		
Silverado/Sierra 1500						
Dual						
2014	Cat-Back, CC/SB; Double Cab, Std. Bed; CC/Std. Bed	5.3L	3"/2½"	39530 Ultra Flo Welded	4	»»»
2013-09	Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"/2½"	39499 Ultra Flo Welded	4	»»»
2008-07	Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"/2½"	39468 Ultra Flo Welded	4	»»»
2007-99	Cat-Back, SC/LB 2007 Classic Only	4.3L, 4.8L, 5.3L	3"/2½"	19308 Super Turbo	4	»»»
2007-99	Cat-Back, SC/SB 2007 Classic Only	4.3L, 4.8L, 5.3L	3"/2½"	19309 Super Turbo	4	»»»
2007-09	Cat-Back, EC/SB	4.3L, 4.8L	3"/2½"	39310	4	»»»

DYNOMAX ABBREVIATIONS

4WD	Four Wheel Drive
Assy.	Assembly
CC	Crew Cab
D.P.F	Diesel Particulate Filter-Back
DRW	Dual Rear Wheel
EC	Extended Cab
Exc.	Excludes
HD	Heavy-Duty
H.O.	High Output
Incl.	Includes
IFS	Independent Front Suspension
IRS	Independent Rear Suspension
LB	Long Bed
LD	Light-Duty
MC	Mega Cab
QC	Quad Cab
RWD	Rear Wheel Drive
SB	Short Bed
SC	Standard Cab
SD	Super Duty
SRW	Single Rear Wheel
X-member-back	Crossmember-Back

Muffler used in system.
Example: DynoMax VT®, Ultra Flo™ Welded...

Use the abbreviations to determine the fitment of the exhaust system.
Example: CC/SB would be Crew Cab/Short Bed.

Exit Style will show where the tail pipes will exit on the car, SUV, or truck.
Example:
Style 4 would be a dual exit out the back.

2013-09	Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"	39499 Ultra Flo Welded	1	»»»
2013-09	Cat-Back, RC/LB	4.8L, 5.3L	3"	39497 Ultra Flo Welded	1	»»»
2013-09	VT, Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"	38495 DynoMax VT	1	»»

Exit Style

Sound Level

» = Stainless Steel Construction

Exit Style















DPF = Diesel Particulate Filter

» = Stainless Steel Construction

Sound Level



DODGE (cont.)

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
Ram 2500HD (cont.)						
Single						
2002-94	Cummins Turbo w/o Converter; Turbo Back system; All Wheelbases	5.9L	4"	39377  Ultra Flo Welded	1	
Ram 3500						
Single						
2014-13	Cummins Diesel, Tip Kit; All Wheelbases	6.7L	5"	88344 	1	
2012-07	Cummins Turbo; DPF-Back System; All Wheelbases	6.7L	5"	39491  Ultra Flo Welded	1	
2008-04	Cat-Back, Cummins Turbo; After 1-5-04	5.9L	4"	19461 Ultra Flo Welded	1	
2008-04	Cat-Back, Cummins Turbo; From 1-5-04	5.9L	4"	39461  Ultra Flo Welded	1	
2004-03	Cummins Turbo; Before 1-5-04; Turbo Back System; All Wheelbases	5.9L	4"	19383 Ultra Flo Welded	1	
2002-94	Cummins Turbo w/o Converter; Turbo Back system; All Wheelbases	5.9L	4"	39377  Ultra Flo Welded	1	

FORD

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
F250						
Single						
2014-11	Super Duty, Power Stroke; DPF-Back System; All Wheelbases	6.7L	5"	39509 Ⓢ Ultra Flo Welded	1	➤➤➤
2010-08	Super Duty, Power Stroke; DPF-Back System; All Wheelbases	6.4L	5"	39492 Ⓢ Ultra Flo Welded	1	➤➤
2007-03	Muffler-Back, Super Duty, Power Stroke; All Wheelbases; Exc. Chassis Cab	6.0L	4"	19426 Ultra Flo Welded	1	➤➤➤
2007-03	Turbo-Back, Super Duty, Power Stroke; All Wheelbases, Exc. Chassis Cab	6.0L	4"	39448 Ⓢ Ultra Flo Welded	1	➤
2003-99	SC/LB; EC/SB; CC/SB; EC/LB; CC/LB Super Duty Power Stroke; Turbo-Back System; Auto. Trans.	7.3L	4"	39376 Ⓢ Ultra Flo Welded	1	➤➤➤
1994-88	SC/LB; EC/LB; CC/LB Exc. Turbo; Manifold-Back System	7.3L	4"	19430 Ultra Flo Welded	1	➤➤➤

Exit Style














DPF = Diesel Particulate Filter

^{SS} = Stainless Steel Construction

Sound Level



FORD (cont.)

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
F350						
Single						
2014-11	Super Duty, Power Stroke; DPF-Back System; All Wheelbases	6.7L	5"	39509  Ultra Flo Welded	1	
2010-08	Super Duty, Power Stroke; DPF-Back System; All Wheelbases	6.4L	5"	39492  Ultra Flo Welded	1	
2007-03	Muffler-Back, Super Duty, Power Stroke; All Wheelbases, Exc. Chassis Cab	6.0L	4"	19426 Ultra Flo Welded	1	
2007-03	Turbo-Back, Super Duty, Power Stroke; All Wheelbases, Exc. Chassis Cab	6.0L	4"	39448  Ultra Flo Welded	1	
2003-99	SC/LB; EC/SB; CC/SB; EC/LB; CC/LB Super Duty Power Stroke; Turbo-Back System; Auto. Trans.	7.3L	4"	39376  Ultra Flo Welded	1	
1994-91	Exc. Turbo; Manifold-Back System; Chassis Cab	7.3L	4"	19430 Ultra Flo Welded	1	
1994-88	SC/LB; EC/LB; CC/LB Exc. Turbo; Manifold-Back System	7.3L	4"	19430 Ultra Flo Welded	1	

RAM

RAM 2500						
2014-13	Cummins Diesel; Tip Kit; All Wheelbases	6.7L	5"	88344 ^{SS}	1	»»
2012-11	Cummins Turbo; DPF-Back System; All Wheelbases	6.7L	5"	39491 ^{SS} Ultra Flo Welded	2	»»
RAM 3500						
2014-13	Cummins Diesel; Tip Kit; All Wheelbases	6.7L	5"	88344 ^{SS}	1	»»
2012-11	Cummins Turbo; DPF-Back System; All Wheelbases	6.7L	5"	39491 ^{SS} Ultra Flo Welded	2	»»

Exit Style



DPF = Diesel Particulate Filter

^{SS} = Stainless Steel Construction

Sound Level



PERFORMANCE AND SOUND GUARANTEE

We challenge you to try our DynoMax® performance mufflers* risk-free for 90 days - if our products* don't meet the challenge, call us for your money back.

90-DAY RISK FREE TRIAL

Try qualifying DynoMax® products* for 90 days. We guarantee you'll experience the DynoMax® performance difference! If, for any reason, the qualifying products* don't live up to your expectations within the first 90 days, replace the products and we will refund your original product's purchase price (which shall not exceed the manufacturer's suggested retail price), plus labor (up to \$50 per exhaust system). We're that confident you will be satisfied with DynoMax® performance products! For questions about this offer, please contact our customer service department at 734-384-7898.

*Offer limited to the purchase of DynoMax® Stainless Steel Cat-Back Systems and Ultra Flo™ SS Polished, Ultra Flo™ Welded, DynoMax® VT® or Super Turbo™ performance muffler. This offer does not include products which have been modified, improperly applied or installed on vehicles used for commercial or racing purposes. Valid only on vehicles used for private, non-commercial use and may be withdrawn at any time.

LIMITED LIFETIME WARRANTY LIMITED TO QUALIFYING DYNOMAX PRODUCTS ONLY

Tenneco Inc. warrants qualifying DynoMax® products against defects and wear-out when used on private passenger cars and light trucks under normal operating conditions for as long as such original purchaser owns the vehicle on which they were originally installed.

LIMITED LIFETIME WARRANTY QUALIFYING PRODUCTS

DynoMax® VT® Mufflers

DynoMax® Ultra Flo™ SS Polished Mufflers

DynoMax® Ultra Flo™ Welded Mufflers

DynoMax® Super Turbo™ Mufflers

DynoMax® Stainless Steel (38XXX and 39XXX Series) Systems

Tenneco's obligation under the Limited Lifetime Warranty and 90-Day Limited Warranty is limited to replacement of the worn-out or defective product with the same (or substantially comparable) product in accordance with this warranty. Cost of removal and installation are not included, and any incidental and consequential damages are excluded under this warranty, regardless of when the failure occurs. These warranties have no cash value. The warranties no apply to products which have been modified, improperly applied or installed on vehicles used for commercial or racing purposes.

To make a claim under the applicable warranty, return the worn-out or defective product with the dated original receipt to the dealer from whom it was purchased or to a Tenneco dealer for verification and exchange under the warranty.

The applicable warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. Any implied warranties you may have under state law are limited to the same duration as this warranty. Some states do not allow limitations on how long an implied warranty lasts or do not allow the exclusion or limitation or consequential damages, so the above limitations and exclusion may not apply to you.

Tenneco will contact warranty-serviced consumers to conduct customer satisfaction surveys relating to product and warranty service. Survey activity will provide valuable feedback and help measure the level of consumer satisfaction in different markets.

Information or assistance regarding a warranty claim may be obtained by writing:
Warranty Department / Tenneco
One International Drive
Monroe, MI 48161
or by calling: 1 (734) 384-7898