



STAINLESS STEEL DRONE-FREE PERFORMANCE EXHAUST

2015-12 JEEP WRANGLER JK 3.6L V6

- Stainless Steel DynoMax VT® Muffler
- 3-in. outlet, single wall, buffed and polished, 12-in. OAL SS slant cut tip
- 2.5-in. Mandrel bent stainless steel tubing

9 HORSEPOWER
10 LB-FT. TORQUE
IMPROVEMENT

PART NUMBER 38517 (4 Door)

11 HORSEPOWER
12 LB-FT. TORQUE
IMPROVEMENT

PART NUMBER 38515 (2 Door)



CAT-BACK SYSTEMS

MORE APPLICATIONS ON PAGE 98

2011-07 JEEP WRANGLER JK 3.8L V6

- Stainless Steel DynoMax VT® Muffler
- 3-in. outlet, single wall, buffed and polished, 12-in. OAL SS slant cut tip
- 2.5-in. Mandrel bent stainless steel tubing

PART NUMBER 38456 (4 Door)

PART NUMBER 38446 (2 Door)

13 HORSEPOWER
12 LB-FT. TORQUE
IMPROVEMENT

08 Jeep Wrangler 3.8L 38446
09 Jeep Wrangler Unlimited 3.8L 38456





STAINLESS STEEL PERFORMANCE EXHAUST

2015-07 JEEP WRANGLER JK 3.6L, 3.8L V6



- Super Turbo™ Muffler Assembly w/ 304 Stainless steel polished cover
- 4-in. outlet, double wall, buffed and polished, 6-in. OAL SS slant cut tips
- 2.5-in. Mandrel bent stainless steel tubing

AXLE-BACK SYSTEM

PART NUMBER 39528

DUAL EXIT

MORE APPLICATIONS ON PAGE 98



CROSS OVER EXHAUST PIPE KIT

- Clearance is optimized for 2 - 5-in. lifted 15-12 Jeep Wranglers, 3.6L V6 engine
- Prevents contact between the exhaust cross over pipe and front drive shaft
- Allows more drive shaft clearance & suspension down travel than exhaust spacers
- Includes all necessary clamps, hardware, and detailed installation instructions
- Mandrel-bent 409 Stainless steel tubing
- Retains equalized OEM down pipe

PART NUMBER 88347



STAINLESS STEEL PERFORMANCE EXHAUST

2015-12 JEEP WRANGLER JK 3.6L V6

- Stainless Steel Ultra Flo™ Welded Muffler
- 3-in. outlet, single wall, buffed and polished, 12-in. OAL SS slant cut tip
- 2.5-in. Mandrel bent stainless steel tubing

13 HORSEPOWER
24 LB-FT. TORQUE
IMPROVEMENT


PART NUMBER 39515 (2 Door)

11 HORSEPOWER
12 LB-FT. TORQUE
IMPROVEMENT

PART NUMBER 39517 (4 Door)

CAT-BACK SYSTEMS

MORE APPLICATIONS ON PAGE 98-99



2011-07 JEEP WRANGLER JK 3.8L V6

- Stainless Steel Ultra Flo™ Welded Muffler
- 3-in. outlet, single wall, buffed and polished, 12-in. OAL SS slant cut tip
- 2.5-in. Mandrel bent stainless steel tubing

13 HORSEPOWER
12 LB-FT. TORQUE
IMPROVEMENT

PART NUMBER 39456 (4 Door)

PART NUMBER 39446 (2 Door)



STAINLESS STEEL PERFORMANCE EXHAUST

2011-07 JEEP WRANGLER JK 3.8L V6

- Stainless Steel Ultra Flo™ Welded Muffler
- 3-in. outlet, single wall, buffed and polished, 12-in. OAL SS slant cut tip
- 2.5-in. Mandrel bent stainless steel tubing

DUAL SYSTEM

CAT-BACK SYSTEM



**7 HORSEPOWER
8 LB-FT. TORQUE
IMPROVEMENT**

PART NUMBER 39457 (4 Door)

**12 HORSEPOWER
11 LB-FT. TORQUE
IMPROVEMENT**

PART NUMBER 39445 (2 Door)

2015-07 JEEP WRANGLER JK 3.6L, 3.8L V6

- Stainless Steel Super Turbo™ Muffler Assembly
- 3-in. outlet, single wall, buffed and polished, 5.5-in. OAL SS slant cut tips
- 2.5-in. Mandrel bent stainless steel tubing

PART NUMBER 39510

DUAL EXIT

**14 HORSEPOWER
12 LB-FT. TORQUE
IMPROVEMENT**

AXLE-BACK SYSTEM

MORE APPLICATIONS ON PAGE 99



*For sound trial and other information visit dynamax.com

STAINLESS STEEL PERFORMANCE EXHAUST

2015-07 JEEP WRANGLER UNLIMITED 3.6L, 3.8L V6 EVOLUTION COMPETITION SYSTEM - FOR OFF-ROAD USE ONLY³

- Stainless Steel Ultra Flo™ Polished Muffler
- 2.5-in. Mandrel bent stainless steel tubing
- Exhaust exits before rear axle

PART NUMBER 39522 (2015-12)

PART NUMBER 39516 (2011-07)



EVOLUTION COMPETITION SYSTEM

2015-07 JEEP WRANGLER JK "ROCKCRAWLER" 3.6L, 3.8L V6

- Stainless steel Ultra Flo™ Polished Muffler
- High clearance off-road "Rockcrawler" design
- 3-in. outlet, single wall, buffed and polished, 6-in. OAL SS slant cut tip
- 2.5-in. Mandrel bent stainless steel tubing

PART NUMBER 39523 (2015-12, 4DR)

PART NUMBER 39524 (2015-12, 2DR)

PART NUMBER 39459 (2011-07, 4DR)

PART NUMBER 39464 (2011-07, 2DR)



**HIGH CLEARANCE OFF-ROAD
"ROCKCRAWLER" DESIGN**

MORE APPLICATIONS ON PAGE 98

CAT-BACK SYSTEM



*For sound trial and other information visit dynamax.com

³For off-road use only - exhaust exits under vehicle.




STAINLESS STEEL PERFORMANCE EXHAUST

2015-11 JEEP GRAND CHEROKEE 5.7L V8

- Stainless Steel Ultra Flo™ Welded Mufflers
- 4-in. outlet, single wall, buffed and polished, 6-in. OAL SS slant cut tips
- 2.5-in. Mandrel bent stainless steel tubing

PART NUMBER 39513 **DUAL SYSTEM**

11 HORSEPOWER
12 LB-FT. TORQUE
IMPROVEMENT




2015-11 JEEP GRAND CHEROKEE 3.6L V6











- Stainless Steel Ultra Flo™ Welded Muffler
- 4-in. outlet, double wall, buffed and polished, 6-in. OAL SS slant cut tip
- 2.5-in. Mandrel bent stainless steel tubing

PART NUMBER 39519

12 HORSEPOWER
13 LB-FT. TORQUE
IMPROVEMENT



CAT-BACK SYSTEMS
MORE APPLICATIONS ON PAGE 96

	Included in kit required to complete installation.				Super Turbo		
Silverado/Sierra 1500							
Dual							
2014	Cat-Back, CC/SB; Double Cab, Std. Bed; CC/Std. Bed	5.3L	3"/2½"	39530  Ultra Flo Welded	4		
2013-09	Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"/2½"	39499  Ultra Flo Welded	4		
2008-07	Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"/2½"	39468  Ultra Flo Welded	4		
2007-99	Cat-Back, SC/LB 2007 Classic Only	4.3L, 4.8L, 5.3L	3"/2½"	19308 Super Turbo	4		
2007-99	Cat-Back, SC/SB 2007 Classic Only	4.3L, 4.8L, 5.3L	3"/2½"	19309 Super Turbo	4		
2007-06	Cat-Back, EC/SB	4.3L, 4.8L	3"/2½"	39310 	4		

DYNOMAX ABBREVIATIONS	
4WD	Four Wheel Drive
Assy.	Assembly
CC	Crew Cab
D.P.F	Diesel Particulate Filter-Back
DRW	Dual Rear Wheel
EC	Extended Cab
Exc.	Excludes
HD	Heavy-Duty
H.O.	High Output
Incl.	Includes
IFS	Independent Front Suspension
IRS	Independent Rear Suspension
LB	Long Bed
LD	Light-Duty
MC	Mega Cab
QC	Quad Cab
RWD	Rear Wheel Drive
SB	Short Bed
SC	Standard Cab
SD	Super Duty
SRW	Single Rear Wheel
X-member-back	Crossmember-Back

Muffler used in system.
Example: DynoMax VT®, Ultra Flo™ Welded...

Use the abbreviations to determine the fitment of the exhaust system.
Example: CC/SB would be Crew Cab/Short Bed.

Exit Style will show where the tail pipes will exit on the car, SUV, or truck.
Example:
Style 4 would be a dual exit out the back.

2013-09	Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"	39499 Ultra Flo Welded		»»»
2013-09	Cat-Back, RC/LB	4.8L, 5.3L	3"	39497 Ultra Flo Welded	1	»»»
2013-09	VT, Cat-Back, CC/SB; EC/LB	4.8L, 5.3L	3"	38495 DynoMax VT	1	»»»





Ⓢ = Stainless Steel Construction



TOYOTA (cont.)

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
Tacoma						
Single						
2014-05	Cat-Back, Access Cab/Double Cab	4.0L	2 1/2"	39447 Ⓢ Ultra Flo Welded	1	➤➤➤
2000-96	Cat-Back, 103" W.B. Federal Emissions	2.7L	2 1/4"	19481 Super Turbo	1	➤➤
Tundra						
Dual						
2008-07	SC/LB; Cat-Back, Double Cab/LB; Crew Max/SB, Fits up to July 2008 build date	5.7L	2 1/2"	39471 Ⓢ Ultra Flo Welded	6	➤➤➤➤➤➤
Single						
2006-00	Cat-Back	3.4L, 4.7L	2 1/2"	19330 Super Turbo	1	➤➤➤
2013-09	Cat-Back, 145.7" W.B.; Crew Max, Double Cab, Reg. Cab	5.7L	3"	38526 Ⓢ DynaMax VT	1	➤➤➤

JEEP

Commander					(see below)	
Single						
2010-06	Cat-Back	3.7L, 4.7L, 5.7L	2 1/2"	19421 Ultra Flo Welded	5	»»»
Cherokee					(see below)	
2001-93	Cat-Back	4.0L	2 1/4"	17340 Super Turbo	5	»»
1992-87	Cat-Back	4.0L	2 1/4"	17463 Super Turbo	5	»»
1992-86	Cat-Back	2.5L	2 1/4"	17463 Super Turbo	5	»»
Compass						
Single						
2010-07	Cat-Back, 4WD	2.4L	2 1/4"	39477  Ultra Flo Welded	5	»»
Grand Cherokee						
Dual						
2015-11	Cat-Back	5.7L	2 1/4"	39513  Ultra Flo Welded	4	»»

Exit Style



Ⓢ = Stainless Steel Construction

Sound Level



Exit Style













Ⓢ = Stainless Steel Construction






















Sound Level



























JEEP (cont.)

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
Grand Cherokee (cont.)						
Single						
2015-11	Cat-Back	3.6L	2 1/2"	39519  Ultra Flo Welded	5	
2010-05	Cat-Back	3.7L, 4.7L, 5.7L	2 1/2"	19421 Ultra Flo Welded	5	
2004-02	Cat-Back	4.0L, 4.7L	2 1/2"	19374 Ultra Flo Welded	5	
2001-99	Cat-Back	4.0L, 4.7L	2 1/2"	19312 Super Turbo	5	
1997-93	Cat-Back	4.0L, 5.2L	2 1/4"	17403 Super Turbo	5	
Grand Wagoneer						
Single						
1993	Cat-Back	5.2L	2 1/4"	17403 Super Turbo	5	
Liberty						
Single						
2013-08	Cat-Back	3.7L	2 1/2"	39475  Ultra Flo Welded	5	
2007-02	Cat-Back	3.7L	2 1/2"	19392 Ultra Flo Welded	5	
2006-05	Cat-Back, CRD; Turbo; Diesel	2.8L	2 1/2"	19392 Ultra Flo Welded	5	
Patriot					(see below)	
Single						
2010-07	Cat-Back, 4WD	2.4L	2 1/4"	39477  Ultra Flo Welded	5	
Wagoneer						
Single						
1990-87	Cat-Back	4.0L	2 1/4"	17463 Super Turbo	5	
Wagoneer Sport Wagon						
Single						
1987-86	Cat-Back	2.5L	2 1/4"	17463 Super Turbo	5	

JEEP (cont.)

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
Wrangler						
Dual						
2015-12	Axle-Back, Clamps to OE intermediate pipe	3.6L	2 1/2"	39510  Super Turbo	4	
2015-12	Axle-Back, Clamps to OE intermediate pipe	3.6L	2 1/2"	39528  Super Turbo	4	
2011-07	Axle-Back, Clamps to OE intermediate pipe	3.8L	2 1/2"	39528  Super Turbo	4	
2011-07	Axle-Back, Clamps to OE intermediate pipe	3.8L	2 1/2"	39510  Super Turbo	4	
2011-07	Cat-Back, Dual Outlet Muffler	3.8L	2 1/2"	39445  Ultra Flo SS	4	
Single						
2015-12	Cat-Back, With a Rockcrawler type off-road suspension system	3.6L	2 1/2"	39524  Ultra Flo SS	9	
2015-12	VT Cat-Back	3.6L	2 1/2"	38515  DynoMax VT	5	
2015-12	Cat-Back	3.6L	2 1/2"	39515  Ultra Flo Welded	5	
2011-07	VT Cat-Back	3.8L	2 1/2"	38446  DynoMax VT	5	
2011-07	Cat-Back	3.8L	2 1/2"	19446 Ultra Flo Welded	5	
2011-07	Cat-Back	3.8L	2 1/2"	39446  Ultra Flo Welded	5	
2011-07	Cat-Back, With a Rockcrawler type off-road suspension system	3.8L	2 1/2"	39464  Ultra Flo SS	9	
2006-00	Cat-Back, After 1-24-2000; Exc. Unlimited	4.0L	2 1/2"	19391 Super Turbo	5	
2000-97	Cat-Back, Before 1-24-2000	2.5L, 4.0L	2 1/4"	17345 Super Turbo	5	
1995-91	Cat-Back	2.5L, 4.0L	2 1/4"	17309 Super Turbo	5	
1990-87	Cat-Back	2.5L	2 1/4"	17309 Super Turbo	5	
Wrangler Unlimited						
Dual						
2015-12	Axle-Back, Clamps to OE intermediate pipe	3.6L	2 1/2"	39528  Super Turbo	4	
2015-12	Axle-Back, Clamps to OE intermediate pipe	3.6L	2 1/2"	39510  Super Turbo	4	
2011-07	Axle-Back, Clamps to OE intermediate pipe	3.8L	2 1/2"	39510  Super Turbo	4	
2011-07	Axle-Back, Clamps to OE intermediate pipe	3.8L	2 1/2"	39528  Super Turbo	4	

JEEP (cont.)

		ENGINE	PIPE DIA.	PART NO.	EXIT STYLE	SOUND LEVEL
Wrangler Unlimited (cont.)						
Dual (cont.)						
2011-07	Axle-Back, Clamps to OE intermediate pipe	3.8L	2 1/2"	39510  Super Turbo	4	
2011-07	Axle-Back, Clamps to OE intermediate pipe	3.8L	2 1/2"	39528  Super Turbo	4	
2011-07	Cat-Back, Dual Outlet Muffler	3.8L	2 1/2"	39457  Ultra Flo SS	4	
2011-07	Cat-Back	3.8L	2 1/2"	19456 Ultra Flo Welded	5	
2006-04	Cat-Back	4.0L	2 1/2"	19403 Super Turbo	5	
Single						
2015-12	Evolution Competition System; Exhaust exits before rear axle, For off-road use only	3.6L	2 1/2"	39522  Ultra Flo SS	11	
2015-12	Cat-Back; With a Rockcrawler type off-road suspension system	3.6L	2 1/2"	39523  Ultra Flo SS	5	
2015-12	VT Cat-Back	3.6L	2 1/2"	38517  DynoMax VT	5	
2015-12	Cat-Back	3.6L	2 1/2"	39517  Ultra Flo Welded	5	
2011-07	Evolution Competition System; Exhaust exits before rear axle, For off-road use only	3.8L	2 1/2"	39516  Ultra Flo SS	11	
2011-07	VT Cat-Back	3.8L	2 1/2"	38456  DynoMax VT	5	
2011-07	Cat-Back	3.8L	2 1/2"	39456  Ultra Flo Welded	5	
2011-07	Cat-Back; With a Rockcrawler type off-road suspension system	3.8L	2 1/2"	39459  Ultra Flo SS	9	

Exit Style



 = Stainless Steel Construction

Sound Level



Exit Style



 = Stainless Steel Construction

Sound Level



PERFORMANCE AND SOUND GUARANTEE

We challenge you to try our DynoMax® performance mufflers* risk-free for 90 days - if our products* don't meet the challenge, call us for your money back.

90-DAY RISK FREE TRIAL

Try qualifying DynoMax® products* for 90 days. We guarantee you'll experience the DynoMax® performance difference! If, for any reason, the qualifying products* don't live up to your expectations within the first 90 days, replace the products and we will refund your original product's purchase price (which shall not exceed the manufacturer's suggested retail price), plus labor (up to \$50 per exhaust system). We're that confident you will be satisfied with DynoMax® performance products! For questions about this offer, please contact our customer service department at 734-384-7898.

*Offer limited to the purchase of DynoMax® Stainless Steel Cat-Back Systems and Ultra Flo™ SS Polished, Ultra Flo™ Welded, DynoMax® VT® or Super Turbo™ performance muffler. This offer does not include products which have been modified, improperly applied or installed on vehicles used for commercial or racing purposes. Valid only on vehicles used for private, non-commercial use and may be withdrawn at any time.

LIMITED LIFETIME WARRANTY LIMITED TO QUALIFYING DYNOMAX PRODUCTS ONLY

Tenneco Inc. warrants qualifying DynoMax® products against defects and wear-out when used on private passenger cars and light trucks under normal operating conditions for as long as such original purchaser owns the vehicle on which they were originally installed.

LIMITED LIFETIME WARRANTY QUALIFYING PRODUCTS

DynoMax® VT® Mufflers

DynoMax® Ultra Flo™ SS Polished Mufflers

DynoMax® Ultra Flo™ Welded Mufflers

DynoMax® Super Turbo™ Mufflers

DynoMax® Stainless Steel (38XXX and 39XXX Series) Systems

Tenneco's obligation under the Limited Lifetime Warranty and 90-Day Limited Warranty is limited to replacement of the worn-out or defective product with the same (or substantially comparable) product in accordance with this warranty. Cost of removal and installation are not included, and any incidental and consequential damages are excluded under this warranty, regardless of when the failure occurs. These warranties have no cash value. The warranties no apply to products which have been modified, improperly applied or installed on vehicles used for commercial or racing purposes.

To make a claim under the applicable warranty, return the worn-out or defective product with the dated original receipt to the dealer from whom it was purchased or to a Tenneco dealer for verification and exchange under the warranty.

The applicable warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. Any implied warranties you may have under state law are limited to the same duration as this warranty. Some states do not allow limitations on how long an implied warranty lasts or do not allow the exclusion or limitation or consequential damages, so the above limitations and exclusion may not apply to you.

Tenneco will contact warranty-serviced consumers to conduct customer satisfaction surveys relating to product and warranty service. Survey activity will provide valuable feedback and help measure the level of consumer satisfaction in different markets.

Information or assistance regarding a warranty claim may be obtained by writing:

Warranty Department / Tenneco

One International Drive

Monroe, MI 48161

or by calling: 1 (734) 384-7898