


ULTRA FLO™ WELDED








- Stainless steel construction for lifelong protection
- 100-percent welded design for maximum durability
- Straight-through welded design ensures unrestricted exhaust flow and reduces back pressure
- Sound level: deep performance tone
- Limited Lifetime Warranty*
- 90-Day Performance Guarantee*



Test conducted on 14-in. body, 2 1/2-in. offset/center mufflers. Magnaflow® is a registered US. trademark of Car Sound Exhaust Systems, Inc., Flowmaster® is a registered US. trademark of Flowmaster, Inc.,

ULTRA FLO™ WELDED

- Designed for vehicles with limited space
- 100-percent welded design for maximum durability
- Straight-through design ensures unrestricted exhaust flow and reduces back pressure
- Limited Lifetime Warranty*

	PART NO.	BODY DIA.	OVERALL LGTH.	SHELL LGTH.	INLET DIA.	OUTLET DIA.
 CENTER - CENTER	17218	4 1/2 x 9 3/4	19	14	2 1/2	2 1/2
	17220	4 1/2 x 9 3/4	19	14	3	3
	17517	4 1/2 x 9 3/4	19	14	3 1/2	3 1/2
	17230	6 Round	21	16	2 1/2	2 1/2
	17223	6 Round	21	16	3	3
	17224	6 Round	21	16	3 1/2	3 1/2
	17225	6 Round	21	16	4	4
	17537	6 Round	27	22	4	4
	21172	9 Round	22	15	4	4
 OFFSET - CENTER	17514	4 1/2 x 9 3/4	19	14	2	2
	17217	4 1/2 x 9 3/4	19	14	2 1/4	2 1/4
	17512	4 1/2 x 9 3/4	25	20	2 1/4	2 1/4
	17219	4 1/2 x 9 3/4	19	14	2 1/2	2 1/2
	17513	4 1/2 x 9 3/4	25	20	2 1/2	2 1/2
	17236	4 1/2 x 9 3/4	29	24	2 1/2	2 1/2
	17221	4 1/2 x 9 3/4	19	14	3	3
	17233	4 1/2 x 9 3/4	25	20	3	3
	17235	4 1/2 x 9 3/4	29	24	3	3
 OFFSET - OFFSET	17226	4 1/2 x 9 3/4	19	14	2 1/4	2 1/4
	17222	4 1/2 x 9 3/4	19	14	2 1/2	2 1/2
	17229	4 1/2 x 9 3/4	19	14	3	3
	17547	4 1/2 x 9 3/4	27	20	3	3
	17557	8 1/4 x 11 1/2	30	25	4	4
 CROSSFLOW	17227	4 1/2 x 9 3/4	24	20	3	2 1/2 (2)
	17536	4 1/2 x 9 3/4	24	20	3	3 (2)
 CENTER - DUAL	17234	4 1/2 x 9 3/4	25	20	2 1/2	2 1/2 (2)
	17228	4 1/2 x 9 3/4	19	14	3	2 1/2 (2)
 DUAL INLET - DUAL	17231	4 1/2 x 9 3/4	19	14	2 1/2 (2)	2 1/2 (2)
 DUAL INLET - DUAL (X TYPE)	17552	4 1/2 x 9 3/4	25	20	2 1/4	2 1/4
	17553	4 1/2 x 9 3/4	25	20	2 1/2	2 1/2
	17554	4 1/2 x 9 3/4	25	20	3	3

*For sound trial and other information visit dynomax.com

*For sound trial and other information visit dynomax.com



ULTRA FLO™ WELDED ROUND


- Stainless steel construction for lifelong protection
- 100-percent welded design for maximum durability
- Straight-through welded design ensures unrestricted exhaust flow and reduces back pressure
- Sound level: deep performance tone
- Limited Lifetime Warranty*
- 90-Day Performance Guarantee*







ULTRA FLO™ STAINLESS STEEL POLISHED

- Stainless steel construction for lifelong protection
- Polished finish for a show-quality shine
- Straight-through design ensures unrestricted exhaust flow and reduces back pressure
- Sound level: deep performance tone
- Limited Lifetime Warranty*
- 90-Day Performance Guarantee*



	PART NO.	BODY DIA.	OVERALL LGTH.	SHELL LGTH.	INLET DIA.	OUTLET DIA.
 CENTER - CENTER	17230	6 Round	21	16	2 1/2	2 1/2
	17223	6 Round	21	16	3	3
	17224	6 Round	21	16	3 1/2	3 1/2
	17225	6 Round	21	16	4	4
	17537	6 Round	27	22	4	4
	21172	9 Round	22	15	4	4
	22572	9 Round	27	20	4	4

	PART NO.	BODY DIA.	OVERALL LGTH.	SHELL LGTH.	INLET DIA.	OUTLET DIA.
 CENTER - CENTER	17263	6 Round	20	16	2 1/2	2 1/2
	17267	6 Round	16	12	3	3
	17296	6 Round	20	16	3	3
 OFFSET - CENTER	17282	4 1/4 x 9 3/4	19	14	2 1/4	2 1/4
	17283	4 1/4 x 9 3/4	19	14	2 1/2	2 1/2
	17289	4 1/4 x 9 3/4	25	20	2 1/2	2 1/2
 CROSSFLOW	17266	4 1/4 x 9 3/4	24	18	2 1/2	2 1/2 (2)
 CENTER - DUAL	17519	4 1/4 x 9 3/4	19	14	3	2 1/2 (2)
	17273	5 1/2 x 11	29	23	3	2 1/2 (2)

ULTRA FLO™ WELDED ROUND

- Stainless steel construction
- 100-percent welded straight-through design
- 2.25-in. to 4-in. configurations available
- Delivers a **deep performance tone**



Round

CENTER - CENTER

PART NO.	BODY	OVERALL	SHELL	IN	OUT
17230	6	21	16	2.5	2.5
17223	6	21	16	3	3
17224	6	21	16	3.5	3.5
17225	6	21	16	4	4
17537	6	27	22	4	4

ULTRA FLO™ POLISHED ROUND

- Stainless steel construction with T-304 high-luster cover and heads
- Straight-through design with spun-locked heads for leak-free seal
- 2.5-in. to 3-in. configurations available
- Delivers a **deep performance tone**



Round

CENTER - CENTER

PART NO.	BODY	OVERALL	SHELL	IN	OUT
17263	6	20	16	2.5	2.5
17267	6	16	12	3	3
17296	6	20	12	3	3



Oval

SIDE- CENTER

PART NO.	BODY	OVERALL	SHELL	IN	OUT
17217	4.5 x 9.75	19	14	2.25	2.25
17512	4.5 x 9.75	25	20	2.25	2.25
17219	4.5 x 9.75	19	14	2.5	2.5
17513	4.5 x 9.75	25	20	2.5	2.5
17236	4.5 x 9.75	29	24	2.5	2.5
17221	4.5 x 9.75	19	14	3	3
17233	4.5 x 9.75	25	20	3	3
17235	4.5 x 9.75	29	24	3	3



CENTER - CENTER

PART NO.	BODY	OVERALL	SHELL	IN	OUT
17218	4.5 x 9.75	19	14	2.5	2.5
17220	4.5 x 9.75	19	14	3	3

SIDE - SIDE

PART NO.	BODY	OVERALL	SHELL	IN	OUT
17226	4.5 x 9.75	19	14	2.25	2.25
17222	4.5 x 9.75	19	14	2.5	2.5
17229	4.5 x 9.75	19	14	3	3
17547	4.5 x 9.75	27	20	3	3

PERFORMANCE AND SOUND GUARANTEE

We challenge you to try our DynoMax® performance mufflers* risk-free for 90 days - if our products* don't meet the challenge, call us for your money back.

90-DAY RISK FREE TRIAL

Try qualifying DynoMax® products* for 90 days. We guarantee you'll experience the DynoMax® performance difference! If, for any reason, the qualifying products* don't live up to your expectations within the first 90 days, replace the products and we will refund your original product's purchase price (which shall not exceed the manufacturer's suggested retail price), plus labor (up to \$50 per exhaust system). We're that confident you will be satisfied with DynoMax® performance products! For questions about this offer, please contact our customer service department at 734-384-7898.

*Offer limited to the purchase of DynoMax® Stainless Steel Cat-Back Systems and Ultra Flo™ SS Polished, Ultra Flo™ Welded, DynoMax® VT® or Super Turbo™ performance muffler. This offer does not include products which have been modified, improperly applied or installed on vehicles used for commercial or racing purposes. Valid only on vehicles used for private, non-commercial use and may be withdrawn at any time.

LIMITED LIFETIME WARRANTY

LIMITED TO QUALIFYING DYNOMAX PRODUCTS ONLY

Tenneco Inc. warrants qualifying DynoMax® products against defects and wear-out when used on private passenger cars and light trucks under normal operating conditions for as long as such original purchaser owns the vehicle on which they were originally installed.

LIMITED LIFETIME WARRANTY QUALIFYING PRODUCTS

DynoMax® VT® Mufflers

DynoMax® Ultra Flo™ SS Polished Mufflers

DynoMax® Ultra Flo™ Welded Mufflers

DynoMax® Super Turbo™ Mufflers

DynoMax® Stainless Steel (38XXX and 39XXX Series) Systems

Tenneco's obligation under the Limited Lifetime Warranty and 90-Day Limited Warranty is limited to replacement of the worn-out or defective product with the same (or substantially comparable) product in accordance with this warranty. Cost of removal and installation are not included, and any incidental and consequential damages are excluded under this warranty, regardless of when the failure occurs. These warranties have no cash value. The warranties no apply to products which have been modified, improperly applied or installed on vehicles used for commercial or racing purposes.

To make a claim under the applicable warranty, return the worn-out or defective product with the dated original receipt to the dealer from whom it was purchased or to a Tenneco dealer for verification and exchange under the warranty.

The applicable warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. Any implied warranties you may have under state law are limited to the same duration as this warranty. Some states do not allow limitations on how long an implied warranty lasts or do not allow the exclusion or limitation or consequential damages, so the above limitations and exclusion may not apply to you.

Tenneco will contact warranty-serviced consumers to conduct customer satisfaction surveys relating to product and warranty service. Survey activity will provide valuable feedback and help measure the level of consumer satisfaction in different markets.

Information or assistance regarding a warranty claim may be obtained by writing:

Warranty Department / Tenneco

One International Drive

Monroe, MI 48161

or by calling: 1 (734) 384-7898